

Safety Data Sheet

TERMIDOR(R) SC finished spray solution

Revision date : 2009/08/17
Version: 2.0

Page: 1/8
(209590/SDS_CPA_US/EN)

1. Product and Company Identification

Company
BASF CORPORATION
100 Campus Drive
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP

Substance number: 000000209590
Molecular formula: C₁₂ H₄ Cl₂ F₆ N₄ OS
Chemical family: phenyl pyrazole
Synonyms: fipronil

2. Hazards Identification

Emergency overview

CAUTION:
HARMFUL IF SWALLOWED.
HARMFUL IF ABSORBED THROUGH SKIN.
HARMFUL IF INHALED.
Do not get in eyes, on skin, or on clothing.
Do not breathe vapours/mists.
Wash thoroughly after handling.

See Product Label for additional precautionary statements.

State of matter: liquid
Colour: light brown
Odour: odourless

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Irritation / corrosion:

May cause slight irritation to the skin. May cause slight but temporary irritation to the eyes.

Sensitization:

Skin sensitizing effects were not observed in animal studies.

Medical conditions aggravated by overexposure:

Safety Data Sheet

TERMIDOR(R) SC finished spray solution

Revision date : 2009/08/17
Version: 2.0

Page: 2/8
(209590/SDS_CPA_US/EN)

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

Signs and symptoms of overexposure:

CNS stimulation, tremors, convulsions

Potential environmental effects

Aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

Terrestrial toxicity:

With high probability not acutely harmful to terrestrial organisms.

3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
120068-37-3	0.06 %	fipronil
	99.94 %	Inert ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

Note to physician

Antidote:

No known specific antidote.

Treatment:

Treat symptomatically. Anticonvulsant therapy as routinely administered to humans. Based on animal studies diazepam and phenobarbital prevented convulsions. Due to the slow elimination of the active compound and its metabolites, the treatment must be continued for several days, gradually decreasing the dose of anticonvulsant based on the clinical response.

5. Fire-Fighting Measures

Flash point:

not applicable

Self-ignition temperature:

Based on the water content the product does not ignite.

Safety Data Sheet

TERMIDOR(R) SC finished spray solution

Revision date : 2009/08/17
Version: 2.0

Page: 3/8
(209590/SDS_CPA_US/EN)

Suitable extinguishing media:

foam, dry extinguishing media, carbon dioxide, water spray

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen fluoride, Hydrogen chloride, nitrogen oxides, sulfur oxides, acid halides

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Safety Data Sheet

TERMIDOR(R) SC finished spray solution

Revision date : 2009/08/17
Version: 2.0

Page: 4/8
(209590/SDS_CPA_US/EN)

Storage

General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Temperature tolerance

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid
Odour: odourless

Safety Data Sheet

TERMIDOR(R) SC finished spray solution

Revision date : 2009/08/17
Version: 2.0

Page: 5/8
(209590/SDS_CPA_US/EN)

Colour:	light brown	
pH value:	7	(10 g/l)
Partitioning coefficient n-octanol/water (log Pow):		not applicable
Viscosity, dynamic:	approx. 1,600 - 1,850 mPa.s	(21.6 °C)
Solubility in water:		dispersible
Molar mass:	437.15 g/mol	

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage.

Substances to avoid:

strong oxidizing agents

Hazardous reactions:

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, Sulphur dioxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous fumes may be released.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Not an oxidizer.

not fire-propagating

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

Inhalation:

Type of value: LC50

Species: rat

Value: > 2.9 mg/l

Exposition time: 4 h

Dermal:

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

Irritation / corrosion

Safety Data Sheet

TERMIDOR(R) SC finished spray solution

Revision date : 2009/08/17
Version: 2.0

Page: 6/8
(209590/SDS_CPA_US/EN)

Skin:

Species: rabbit
Result: Slightly irritating.

Eye:

Species: rabbit
Result: non-irritant

Sensitization:

Information on: fipronil

Species: guinea pig
Skin sensitizing effects were not observed in animal studies.

Genetic toxicity

Information on: fipronil

Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

Carcinogenicity

Information on: fipronil

In long-term studies in rats the substance induced thyroid tumors. In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans.

Reproductive toxicity

Information on: fipronil

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Development:

Information on: fipronil

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

12. Ecological Information

Fish

Information on: fipronil

Acute:

Oncorhynchus mykiss/LC50 (96 h): 0.25 mg/l

Lepomis macrochirus/LC50 (96 h): 0.0852 mg/l

Cyprinus carpio/LC50 (96 h): 0.43 mg/l

Aquatic invertebrates

Information on: fipronil

Acute:

Daphnia magna/EC50 (48 h): 0.19 mg/l

Safety Data Sheet

TERMIDOR(R) SC finished spray solution

Revision date : 2009/08/17
Version: 2.0

Page: 7/8
(209590/SDS_CPA_US/EN)

Aquatic plants

Information on: fipronil

Toxicity to aquatic plants:

green algae/EC50 (96 h): 0.068 mg/l

Common duckweed/EC50 (336 h): > 0.160 mg/l

green algae/EC50 (120 h): > 0.140 mg/l

Algae/EC50 (120 h): > 0.170 mg/l

Algae/EC50 (120 h): > 0.120 mg/l

Non-Mammals

Information on: fipronil

Other terrestrial non-mammals:

bobwhite quail/LD50: > 2,000 mg/kg

bobwhite quail/LC50: > 5,000 ppm

Honey bee/LD50: > 100 ug/bee

mallard duck/LC50: > 5,000 ppm

Degradability / Persistence Biological / Abiological Degradation

Evaluation: Not readily biodegradable (by OECD criteria).

Other adverse effects:

Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Reference Bill of Lading

15. Regulatory Information

Federal Regulations

OSHA hazard category: No data available.;

Safety Data Sheet

TERMIDOR(R) SC finished spray solution

Revision date : 2009/08/17
Version: 2.0

Page: 8/8
(209590/SDS_CPA_US/EN)

16. Other Information

Refer to product label for EPA registration number.

Recommended use: insecticide

BASF supports worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Local Contact Information

Product Stewardship
919 547-2000

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET